# STORM DOORS





www.LARSONdoors.com



## Storm Doors for Every Home

LARSON<sup>®</sup> storm doors are available in styles and ventilating options to make your home more comfortable. Choose from Screen Away<sup>®</sup> retractable screens that disappear when not in use or convenient built-in screen options.

## Consider Low-E

Several storm doors are available with Low-E glass. Low-E (low emissivity) glass contains an extremely durable coating that minimizes the amount of infrared energy that passes through without compromising the amount of visible light that shines in. Low-E glass reduces interior fading and has a dramatic impact on the comfort of your home.



#### The Low-E Advantage

Keep rooms warmer in the winter by minimizing heat loss.

Keep rooms cooler



in the summer by reflecting the sun's heat.



U.S. Department of Energy recommends Low-E to improve energy efficiency.

## Protection

Storm doors protect your entry door and provide an additional layer of security between your home and unwelcome guests.

## Installation

LARSON storm doors are available with two installation methods that require no cutting. EasyHang<sup>®</sup> includes one-step hanging with pre-drilled placement holes and adjustable height for an exact fit. The Platinum Collection is pre-assembled for effortless installation. Out of box and on your home in minutes.

## Learn more

Visit us at LARSONdoors.com for a comprehensive list of products available to make your home more comfortable.

### Platinum COLLECTION



# The fast install.

No experience necessary with our pre-assembled doors. Simply add your QuickFit<sup>™</sup> handle, place frame on the opening, and secure in minutes\*. Relax, you got this!

## Beautiful protection for your home.

The modern design of the Platinum series is both innovative and attractive. It is a one-of-a-kind blend of technology and luxury with a built-in hidden closer and multi-point locking. From open to close, Platinum is the ultimate storm door with added security features and better operation. Backed by a Limited Lifetime warranty.



Interchangeable Full Glass 459-04E\* 459-04 Includes screen for seasonal venting.

P



Platinum RS

456-04E\* 456-04

Screen Away®

cassette when

hides in top

not in use.

Retractable

Screen





Platinum SG Secure Glass 449-04

Platinum SCR Secure Screen 450-18

Dominator<sup>™</sup> shield between laminated glass keeps intruders out.

Dominator .032 stainless steel wire mesh screen is built to withstand more than 1,000 lbs/in of force.

Includes Break-In Protection Warranty.



	MODEL	SIZE			
Platinum IFG	459-04E Low-E				Pre-Hinged
Platinum IFG	459-04	32" x 81"	+		Select Left Hinge (right hand) or
Platinum RS	456-04E Low-E	36" x 81"			Right Hinge (left
riauliulii no	456-04	CUSTOM	Left Hinge	Right Hinge	hand) as viewed from outside.
Platinum SG	449-04	SIZES	(Right Hand) Outswing	(Left Hand) Outswing	nom outoridor
Platinum SCR	450-18		j	<b>j</b>	

#### QuickFit<sup>®</sup> Choose your handle sold separately Straight: Matte Black, Brushed Nickel, Aged Bronze

Antique

Brass

Curved: Brushed Nickel, Aged Bronze, Antique Brass, Brass, White, Brown, Sandstone

Brass

White

Matte

Black

Brushed

Nickel

Brown Sandstone

## full glass storm doors



#### **Seasonal Venting**

Maximize your view with our beautiful fullview storm doors.



149FV Clear



Screen not available



149BV



Elegant Bevel 149EBV



ELEGANT SELECTION	SIZE	Special Standard	CUSTOM
149FVE Low-E			1
149FV Clear	32" x 81" 36" x 81"	30" x 81" 34" x 81" <sub>White</sub>	1
149PV Pet Door	30 8 01		
149BV Double Bevel			
149EBV Elegant Bevel	36" x 81"		

#### QuickFit Choose your handle SOLD SEPARATELY

Straight: Matte Black, Brushed Nickel, Aged Bronze Curved: Brushed Nickel, Aged Bronze, Antique Brass, Brass, White, Brown, Sandstone







\* 149FVE features Low-E glass for improved insulation and less fading.



Ventilation Window and screen interchange for seasonal venting 6



Durability Premium frame construction with 1-5/8" thick aluminum



Protection Overlapping frame and two closers provide a tight seal



Convenience Two closers with holdopen button keeps the door open



Finish Installation screw covers conceal exterior screws

## retractable screen STORM DOORS

#### Enjoy it all!

Screen Away® technology for both venting and clear views.





SCREEN

146HV

SCREEN

Bevel

146BV

Cranberry

Green

Colors vary by model





146PV





\* 146FVE features Low-E glass for improved insulation and less fading.



Ventilation Convenient retractable screen provides any time venting 8



Durability Premium frame construction with 1-7/8" thick aluminum



Protection Overlapping frame and two closers provide a tight seal



Convenience Two closers with holdopen button keeps the door open



Finish Installation screw covers conceal exterior screws



### pet friendly storm doors

#### Your Pet Door Headquarters!

Adding a pet door just got easier. The pet friendly selection of storm doors feature a factory-installed pet door. Guaranteed to keep your pet happy and make your life easier. The inside security panel keeps intruders out.



Elegant Selection Fullview Pet Door 149PV

8W x 12H Opening Fits pets up to 40 lbs. Handle sold separately Screen not available



Pet Breeze All Metal Screen Door 360-49 10W x 17H Opening Fits pets up to 100 lbs.



EasyVent® Selection Retractable Screen Pet Door 146PV 8W x 12H Opening Fits pets up to 40 lbs.

Handle sold separately

Wood Core Pet Door 370-79 10W x 17H Opening Fits pets up to 100 lbs.



Pet View All-Metal Pet Door 360-79 10W x 17H Opening Fits pets up to 100 lbs.



Wood Core Pet Door XL 370-78 14W x 23H Opening Fits pets up to 220 lbs.





# full glass storm doors







Clear 350-17 350-04

Double Bevel 350-14 350-13

Bring natural light into your home to let kids and pets see out. These durable aluminum and wood core doors are available with interchangeable glass and screen (350 series, 274-FL) or a bottom vent panel (360-NV). Handle styles and finishes vary by model.



Bottom Vent 360-NV



Wood Core 274-FL

		White	Almond	Sandstone	Brown	Black
MODEL	SIZE	CUSTOM		COL	OR	
360-NV	32" x 81" 36" x 81"		White, Sandstone, Brown			
350-14 Brushed Nickel 350-13 Brass	32" x 81" 36" x 81"		White, Almond, Sandstone, Brown, Black		n, Black	
350-17 Brushed Nickel 350-04 Brass	32" x 81" 36" x 81"	1	White, Almond, Sandstone, Brown, Black		n, Black	
274-FL	32" x 81" 36" x 81"	1	White, Almond, Sandstone, Brown		'n	

13



#### The Convenience of Screen Away®

Our top performing wood core retractable screen storm doors include features like magnetic weatherstrip that seals tight like a refrigerator for increased energy efficiency (830, 691 series). Most doors include your choice of handle finish.



\* 691 doors feature keyed lock



370-81

#### **Durable Aluminum Frame**

1-3/8" thick frame is maintenace-free and includes heavy-duty weatherstrip. Includes designer screw covers that conceal exterior screws. Available with a brushed nickel or brass lever.

White

Almond

Sandstone

Brown

356-52 356-60

SCREEN.

MODEL	SIZE	CUSTOM	COLOR
830-82 Brushed Nickel 830-85 Aged Bronze 830-80 Brass	32" x 81" 36" x 81" 34" x 81"	1	White, Almond, Sandstone, Brown
691-52 Brushed Nickel 691-55 Aged Bronze 691-90 Brass	32" x 81" 36" x 81"	1	White, Sandstone, Brown
370-81 Color-Match Lever	32" x 81" 36" x 81" 30" x 81"		White, Almond
356-52 Brushed Nickel 356-60 Brass	32" x 81" 36" x 81"		White

**Top or Bottom Venting** Storm doors at a great value with built-in glass and screen combinations for convenient venting.

#### **ALL-METAL FRAME**





**Push Button Handle** 660-16 Midview 660-18 Highview

Lever Handle 360-16 Midview 360-18 Highview

#### WOOD CORE





370-50

DuraTech 237-CF Midview




DuraTech 233-ST Highview

W	hite Almond	Sandstone Brown Black		
MODEL	SIZE	COLOR		
360-18, 660-18	32" x 81" 36" x 81"	White, Brown		
360-16, 660-16	30' X 81" 32" x 81"	White, Brown		
370-50	34" x 81"* 36" x 81"	White, Brown		
237-17 Brushed Nickel 237-07 Brass	32" x 81"	White, Almond, Sandstone, Brown		
233-17 Brushed Nickel 233-07 Brass	36" x 81"	White, Almond, Sandstone, Brown		



### venting STORM DOORS



#### **Built to Perform**

These insulating storm doors feature a solid core with a weather-resistant DuraTech®, durable aluminum or vinyl surface.

MAGNETIC

830-46





Multi-Vent DuraTech 271-TT

Multi-Vent Single-Vent DuraTech DuraTech 830-14

Choose from two traditional venting options: multi-vent with full screen or bottom vent screen.











Single-Vent Aluminum 286-SX

Single-Vent DuraTech 380-05

DuraTech 278-SS

MODEL

278-SS DuraTech

288-SS Aluminum

298-SS Vinyl 283-ST Aluminum

286-SX 293-ST Vinyl

288-SS Aluminum 298-SS Vinyl

SIZE

283-ST Aluminum 293-ST Vinyl

Almond Brown one

	WINC	Aimond	Ganua
SPECIAL STANDARD	CUSTOM		COLOF
30" x 81" 34" x 81"			

White

	30" x 81" 34" x 81" 32" x 85" 36" x 85" White only	1	White, Almond, Sandstone, Brown
32" x 81"	30" x 81" 34" x 81"		White, Brown
36" x 81"	30" x 81" 34" x 81"		White
	30" x 81"		White, Brown
			White
32" x 75" 30" x 75"			White

MODEL	SIZE	SPECIAL STANDARD	CUSTOM	COLOR
271-TT Multi-Vent	32" x 81" 36" x 81"	30" x 81" 34" x 81" 36" x 85" White only	1	White, Almond, Sandstone, Brown
830-46 Multi-Vent				White, Brown
830-14 Single-Vent			1	White, Brown

White

Almond

Sandstone


Brown

380-05\* Mobile Home Door \* 380-05 additional sizes available



This is no ordinary screen door! The durable frame and WearTuff® screen are built to withstand up to 300 lbs. of static force and includes handle, closer, and hinges.

Screen Door 360-48



## screen upgrades



SUNTEX® 80 Shading fabric in 3 colors



PetScreen® 7X stronger



No-See-Um tight mesh



RECORD Your Measure	EMENTS	
Α	WIDTH	
В	WIDTH	
C	WIDTH	<b>+0+→</b>
D	HEIGHT	

Door Sizes	Min–Max Doorway Width	Min–Max Doorway Height	
30" x 81"	29 7/8" to 30 3/8"		
32" x 81"	31 7/8" to 32 3/8"		
34" x 81"	33 7/8" to 34 3/8"	80" to 81"	
36" x 81"	35 7/8" to 36 3/8"		



Size availability varies by model. CUSTOM SIZES available in select models.

## MOUNTING GUIDE


#### PLATINUM COLLECTION (Surface Mount)

The rails mount directly to the face of the exterior brickmold and require a 3/4" wide mounting surface. Determine hinge side as viewed from outside.



#### **STORM DOORS (Recess Mount)**

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.









Habitat Proud partner with Habitat for for Humanity Humanity International.

<sup>™</sup> Trademark, LARSON Manufacturing Company, Brookings, SD, U.S.A. © 2021 Larson Manufacturing Company. Printed in the U.S.A. LARSON reserves the right to alter or discontinue any model, specification, warranty or price without notice. Door colors shown are approximate; actual color may vary. 09502100

#### www.LARSONdoors.com